

Standards in JTA Version 4.0 not in Version 5.0

Standard_Identifier	Standard_Title	V4 Status
A/D Conversion	Analog-to-Digital Conversion of Voice by 1200 Bit/Second Mixed Excitation Linear Prediction (MELP).	E
ACP 123A:1997	Common Messaging Strategy and Procedures, Edition A, U.S. Supplement No. 1, 15 August 1997.	M
AES Proposal	AES Proposal, Version 2, 9 March 1999. Rijndael by Joan Daemen and Vincent Rijmen.	E
ANSI T1.111	Signaling System No. 7, Message Transfer Part, 1996.	M
ANSI T1.112	Signaling System No. 7, Signaling Connection Control Part Functional Description, 1996.	M
ANSI T1.113	Signaling System No. 7, ISDN User Part, 1995.	M
ANSI T1.114	Signaling System No. 7, Transaction Capability Application Part, 1996.	M
ANSI T1.602	ISDN Data Link Signaling Specification for Application at the User Network Interface, 1996.	M
ANSI T1.607:1998	Digital Subscriber Signaling System No. 1 (DSS1) - Layer 3 Signaling Specification for Circuit Switched Bearer Service, 1998.	M
ANSI/IEEE 1076	IEEE Standard VHDL Language Reference Manual, 1993.	M
ANSI/J-STD-018-96	Recommended Minimum Performance Requirements for 1.8 to 2.0 GHz CDMA Personal Stations.	E
ANSI/J-STD-019-96	Recommended Minimum Performance Requirements for Base Stations Supporting 1.8 to 2.0 GHz CDMA Personal Stations.	E
ANSI/SMPTE 12M	Television Audio and Film - Time and Control Code for Video and Audio Tape for 525 Line/60 Field Television Systems, 1995.	M
ANSI/SMPTE 170	Television - Composite Analog Video Signal - NTSC for Studio Applications, 1994.	M
ANSI/SMPTE 259M:1997	Television - 10 bit 4:2:2 Component and 4fsc NTSC Composite Digital Signals (Serial Digital Interface), using ITU-R BT.601-4 Component (4:2:2) digital video waveforms, 1997.	M
ANSI/SMPTE 274M	Television - 1920 x 1080 Scanning and Interface, 1995.	M
ANSI/SMPTE 291M	Television - Ancillary Data Packet and Space Formatting, 1996.	M
ANSI/SMPTE 292M	Television - Bit-Serial Digital Interface for High-Definition Television Systems, 1998.	M
ANSI/SMPTE 293M	Television - 720 x 483 Active Line at 59.94-Hz Progressive Scan Production - Digital Representation, 1996.	M
ANSI/SMPTE 296M	Television - 1270 x 720 Scanning, Analog and Digital Representation and Analog Interface, 1997.	M
ANSI/SMPTE 297M	Television - Serial Digital Fiber Transmission System for ANSI/SMPTE 259M Signals.	M
ANSI/SMPTE 309M	Transmission of Date and Time Zone Information in Binary Groups of Time and Control Code.	M
Application-level Firewall - Low Risk	U.S. Government Application-level Firewall Protection Profile for Low Risk Environments, 20 July 1999.	E
Application-level Firewall - Medium Robustness	U.S. DoD Application-level Firewall for Medium Robustness Environments, Version 1.0, 7 February 2000.	E
ARINC 718-4	Mark 3 Air Traffic Control Transponder (ATCRBS/Mode-S), December 1989	P
ATSC A/52 (Audio)	Dolby Digital AC3 for advanced television applications.	E
C310	Time Service Specification, DCE 1.1, X/Open CAE Specification, November 1994.	M

Standards in JTA Version 4.0 not in Version 5.0

C311	Authentication and Security Services, DCE 1.1, Open Group CAE Specification, August 1997.	B
C320	Motif Toolkit API, X/Open CAE Specification, April 1995.	M
C323	Common Desktop Environment (CDE), XCDE Services and Applications, Version 1.0, April 1995.	M
C324	XCDE Definitions and Infrastructure, Open Group Technical Standard, 1 April 1995.	M
C508 R6	Window Management (X11R5): Xlib - C Language Binding, Open Group Technical Standard, ISBN 1-85912-088-1, May 1995, as updated by X11R6.	M
C509 R6	Window Management (X11R5): X Toolkit Intrinsics, Open Group Technical Standard, as updated by X11R6.	M
C705	Directory Services, DCE 1.1, Open Group CAE Specification, August 1997.	M
C706	Remote Procedure Call, DCE 1.1, Open Group CAE Specification, August 1997.	M
CDL-SDD	System Description Document for CDL, Specification 7681996, 5 May 1993.	M
CDL-SS	System Specification for the CDL Segment, Specification 7681990, Revision D, 29 January 1997.	M
CGMTI	Common Ground Moving Target Indicator (CGMTI), Data Format Document, Draft Version 1.01d2, 25 July 2000.	E
DCE 1.2.2	Distributed Computing Environment (DCE) Version 1.2.2, November 1997.	E
DII UIS v4.0	User Interface Specification (UIS) for the Defense Information Infrastructure (DII), Version 4.0, October 1999.	M
DoD 5015.2-STD	Design Criteria Standard for Electronic Records Management Software Applications, November 1997 (Sections 2.2.1-2.2.1.1 only).	E
draft FIPS 46-3	Data Encryption Standard, draft, 8 January 1999.	E
draft-ietf-megaco-protocol-08.txt	Megaco Protocol, April 2000.	E
draft-ietf-secsh-architecture-05.txt	Secure Shell (SSH) Protocol Architecture, May 2000.	E
draft-ietf-secsh-connect-07.txt	SSH Connection Protocol, May 2000.	E
draft-ietf-secsh-transport-07.txt	SSH Transport Layer Protocol, May 2000.	E
draft-ietf-secsh-userauth-07.txt	SSH Authentication Protocol, May 2000.	E
EIA 170	Electrical Performance Standards - Monochrome Television Studio Facilities, November 1957.	M
EIA 330	Electrical Performance Standards for Closed Circuit Television Camera 525/60 Interlaced 2:1 (ANSI/EIA 330-68), November 1966.	M
EIA 343-A	Electrical Performance Standard for High Resolution Monochrome Closed Circuit Television Camera (November 1966), September 1969.	M
FEDDIF	Federation Execution Details Data Interchange Format, Version 1.3, February 1998.	M
FIPS Pub 10-4	Countries, Dependencies, Areas of Special Sovereignty, and Their Principal Administrative Divisions, April 1995 through Change Notice 3, 17 May 1999.	M
FIPS Pub 140-1	Security Requirements for Cryptographic Modules, 11 January 1994.	B

Standards in JTA Version 4.0 not in Version 5.0

FIPS Pub 185	SKIPJACK algorithm, February 1994, NSA, R21-Tech-044-91, 21 May 1991.	M
FIPS Pub 186-1	Digital Signature Standard (DSS) Digital Signature Algorithm (DSA), December 1998.	M
FIPS Pub 46-3	Data Encryption Standard, 8 January 1999.	E
FORTEZZA CIPG 1.52b	FORTEZZA Cryptologic Interface Programmers Guide (CIPG), MD4000501-1.52b, 20 October 1997.	M
G.711	Pulse code modulation 3.1 KHz to 48, 56, and 64 (narrowband speech mode).	M
G.722	Audio CODEC, 7 KHz at 48, 56, and 64 Kbps (wideband speech).	M
G.728	Audio CODEC 3.1 KHz at 16 Kbps (narrowband speech mode).	M
H.221	Frame structure for 64 to 1920 Kbit/s channel in audiovisual services.	M
H.230	Frame-synchronous control and indication signals for audiovisual systems.	M
H.231	Multipoint Control Unit functional description.	M
H.242	System for establishing communication between audio visual terminals using digital channels up to 2 Mbits/s.	M
H.243	Procedure for establishing communication between three or more audiovisual terminals using digital channels up to 2 Mbit/s.	M
H.261	Video CODEC for audiovisual services at px64 Kbps.	M
H.320	Narrow-band visual telephone systems and telephone equipment.	M
IDS Analyzer	Intrusion Detection System Analyzer Protection Profile, 30 December 1999.	E
IDS Scanner	Intrusion Detection System Scanner Protection Profile, 4 January 2000.	E
IDS Sensor	Intrusion Detection System Sensor Protection Profile, 30 December 1999.	E
IEEE 1003.13	Standardized Application Environment Profile (AEP) - POSIX Real-Time Application Support 1998.	M
IEEE 1076	VHSIC Hardware Description Language (VHDL) Reference Manual, 1993.	E
IEEE 1101.2	Mechanical Core Specifications for Conduction Cooled Eurocards, 1992.	B
IEEE 1149.1	IEEE Standard Test Access Port and Boundary-Scan Architecture, 1990.	E
IEEE 1232	Artificial Intelligence Exchange and Service Tie to All Test Environments (AI-ESTATE) Overview and Architecture, 1998.	E
IEEE 1484.1 d5	Architecture and Reference Model Working Group Document: Learning Technology Systems Architecture (LTSA), Draft 5, 8 December 1999.	E
IEEE 1484.11	Computer Managed Instruction (CMI) Working Group Document: Computer Managed Instruction (CMI)", Draft 3.3, February 1999.	E
IEEE 802.10:1998ac	Interoperable LAN/MAN Security (SILS) 1998, Clause 3, Key Management, IEEE 802.10c:1998 (Supplement) and Clause 1, Security Architecture Framework, IEEE Std. 802.10a:1999 (Supplement).	E

Standards in JTA Version 4.0 not in Version 5.0

IEEE 802.3ab	Local and Metropolitan Area Networks - Part 3: Carrier Sense Multiple Access with Collision Detection (CSMA/CD) Access Method and Physical Layer Specifications - Physical Layer Parameters and Specifications for 1000Mb/s Operation over 4-Pair of Category 5 Balanced Copper Cabling, Type 1000BASE-T, 1999.	M
IEEE 802.3u	Local and Metropolitan Area Networks: Media Access Control (MAC) Parameters, Physical Layer, Medium Attachment Units, and Repeater for 100 Mbps Operation, Type 100BASE-T (Clauses 21-30), 1995.	M
IEEE 802.3z	Local and Metropolitan Area Networks - Part 3: Carrier Sense Multiple Access with Collision Detection (CSMA/CD) Access Method and Physical Layer Specifications, Gigabit Ethernet, 1998.	M
IEEE P1003.1d D11	Portable Operating System Interface (POSIX) Part 1: System Application Program Interface (API) - Amendment d: Additional Real-Time Extensions [C Language], Draft 11, May 1998.	E
IEEE P1003.5f	Portable Operating System Interface for Computer Environments (POSIX) - Ada binding to 1003.21, January 1997.	E
IEEE P1149.4	Mixed-Signal Test Bus, 1999.	E
IEEE P1386.1	Physical/Environmental Layers for Peripheral Component Interface (PCI) Mezzanine Cards (PMC), April 1995.	E
IEEE P1484.12 d4	Learning Object Metadata (LOM), draft 4, 1 January 2000.	E
IEEE P1484.2 v6	Learner Model Working Group Document "Public and Private Information (PAPI) for Learners", Draft Version 6, 23 June 2000.	E
IEEE P1516.1:2000	Modeling and Simulation (M&S) High Level Architecture (HLA) Federate Interface Specification, Draft 5, 1 April 2000.	E
IEEE P1516.2:2000	Modeling and Simulation (M&S) High Level Architecture (HLA) Object Model Template (OMT) Specification, Draft 5, 1 April 2000.	E
IETF RFC 1514	Host Resources MIB, September 1993.	M
IETF RFC 1757	Remote Network Monitoring Management Information Base, (RMON Version 1), February 1995.	M
IETF RFC 1829	ESP DES-CBC Transform, August 1995.	E
IETF RFC 2065	DNS Security Extensions, January 1997.	E
IETF RFC 2248	Network Services Monitoring MIB, 13 January 1998.	E
IETF RFC 2249	Mail Monitoring MIB, 13 January 1998.	E
IETF RFC 2311	S/MIME Version 2, Message Specification, March 1998.	M
IETF RFC 2405	ESP CBC-Mode Cipher Algorithm with Explicit IV, November 1998.	E
IETF RFC 2451	ESP CBC-Mode Cipher Algorithms, November 1998.	E
IETF RFC 2487	SMTP Service Extension for Secure SMTP over TLS, January 1999.	E
IETF RFC 2543	Session Initiation Protocol (SIP), March 1999.	E
IETF Standard 10/RFC 821/RFC 1869/RFC 1870	Simple Mail Transfer Protocol (SMTP) Service Extensions, November 1995.	M
IETF Standard 11/RFC 822/RFC 1049	Format of ARPA Internet Text Messages, 13 August 1982.	M

Standards in JTA Version 4.0 not in Version 5.0

IRIG 106-96	Telemetry Standards (Telemetry Group, Range Commanders Council, U.S. Army), Chapter 4, Pulse Coded Modulation Standards, Chapter 8 -MIL-STD-1553 Department of Defense Interface Standard for Digital Time Division Command/Response Multiplex Data Bus, 21 March 1996.	M
ISO 10303-101	Product data representation and exchange - Part 101: Integrated generic resources: Draughting, 1994.	E
ISO 10303-105	Product data representation and exchange Part 105: Integrated application resources: Kinematics, 1996.	E
ISO 10303-11	Product data representation and exchange - Part 11: Description methods: The EXPRESS language reference manual, 1994.	E
ISO 10303-203	Product data representation and exchange - Part 203: Application protocol: Configuration controlled design, 1994.	E
ISO 10303-21	Product data representation and exchange - Part 21: Implementation methods: Clear text encoding of the exchange structure, 1994.	E
ISO 10303-22	Product data representation and exchange - Implementation methods: Standard data access interface, 1994.	E
ISO 10303-224	Product data representation and exchange - Part 224: Application protocol: Mechanical product definition for process planning using machining features, 1999.	E
ISO 10303-41	Product data representation and exchange - Part 41: Integrated generic resources: Fundamentals of product description and support, 1994.	E
ISO 10303-42	Product data representation and exchange - Part 42: Integrated generic resources: Geometric and topological representation, 1994.	E
ISO 10303-43	Product data representation and exchange - Part 43: Integrated generic resources: Representation structures, 1994.	E
ISO 10303-44	Product data representation and exchange - Part 44: Integrated generic resources: Product structure configuration, 1994.	E
ISO 11754	Telemetry Channel Coding, 1994.	M
ISO 12171	Telecommand, Channel Service, Architectural Specification , 1998.	M
ISO 12172	Telecommand, Data Routing Service, 1998.	M
ISO 12173	Telecommand, Command Operation Procedures, 1998.	M
ISO 12174	Telecommand, Data Management Service, Architectural Specification, 1998.	M
ISO 13407 (E)	Human-centered design processes for interactive systems, June 1999.	M
ISO 13419	Packet Telemetry, 1997.	M
ISO 9735 UN/EDIFACT	Application Level Syntax Rules, as profiled by FIPS PUB 161-2, Electronic Data Interchange, 22 May 1996.	M
ISO/IEC 10536-1	Identification Cards - Contactless integrated circuit(s) card - Part 1: Physical characteristics, 1992.	M
ISO/IEC 10536-2	Identification Cards - Contactless integrated circuit(s) card - Part 2, Dimensions and location of coupling areas, 1995.	M
ISO/IEC 10536-3	Identification Cards - Contactless integrated circuit(s) card - Part 3, Electronic signals and reset procedures, 1996.	M
ISO/IEC 10536-4	Identification Cards - Contactless integrated circuit(s) card; Part 4, Answer to reset and transmission protocols, 1995.	E

Standards in JTA Version 4.0 not in Version 5.0

ISO/IEC 10646-1:1998	Universal Multiple-Octet Coded Character Set (UCS), Part 1: Architecture and Basic Multilingual Plane with Technical Corrigendum 1:1996, Technical Corrigendum 2:1998.	M
ISO/IEC 10918-1:1997	Joint Photographic Experts Group (JPEG) as profiled by MIL-STD-188-188A, JPEG Image Compression for the National Imagery Transmission Format Standard, 15 December 1993 with Notice 1, 12 October 1994 and Notice 2, 14 March 1997.	M
ISO/IEC 11172-1:1995	Coding of moving pictures and associated audio for digital storage media at up to about 1.5 Mb/s - Part 1: Systems, 1993; with Technical Corrigendum 1:1995.	M
ISO/IEC 12087-5:1998	Part 5; Basic Image Interchange Format (BIIF), 15 October 1998.	E
ISO/IEC 13818-1	Generic Coding of Moving Pictures and Associated Audio Information - Part 1: Systems (MPEG-2), 1996, with Amendment 1:1997.	M
ISO/IEC 13818-2	Generic Coding of Moving Pictures and Associated Audio Information - Part 2: Video (MPEG-2), 1996 with Amendment 1:1997 and Amendment 2:1997.	M
ISO/IEC 13818-3	Generic coding of moving pictures and associated audio information - Part 3: Audio (MPEG-2), 1995, with Amendment 1:1996.	M
ISO/IEC 13818-4	Generic Coding of Moving Pictures and Associated Audio Information - Part 4: Conformance testing; 1996.	M
ISO/IEC 14443-1	Proximity integrated circuit(s) cards - Part 1: Physical Characteristics, July 1998.	E
ISO/IEC 14443-2	Proximity integrated circuit(s) cards - Part 2: Radio Frequency Interface, October 1999.	E
ISO/IEC 14443-3	Proximity integrated circuit(s) cards - Part 3: Initialization and Anti-collision, October 1999.	E
ISO/IEC 14443-4	Proximity integrated circuit(s) cards - Part 4: Transmission Protocols, October 1999.	E
ISO/IEC 15444-1	FCD JPEG 2000 Image Coding System.	E
ISO/IEC 15693-1	Identification Cards - Contactless integrated circuit(s) - Vicinity cards- Part 1: Physical characteristics, October 1999.	E
ISO/IEC 15693-2	Identification Cards - Contactless integrated circuit(s) - Vicinity cards- Part 2: Air interface and initialization, October 1999.	E
ISO/IEC 15693-3	Identification Cards - Contactless integrated circuit(s) - Vicinity cards- Part 3: Protocols, October 1999.	E
ISO/IEC 15693-4	Identification Cards - Contactless integrated circuit(s) - Vicinity cards- Part 4: Registration of applications and issuers, October 1996.	E
ISO/IEC 7816-10	Integrated circuit(s) card with contacts - Part 10: Electronic signals and answer to reset for synchronous cards, April 1998.	E
ISO/IEC 7816-4	Integrated Circuit(s) cards with contacts - Part 4: Inter-industry commands for interchange, September 1995.	M
ISO/IEC 7816-5	Integrated Circuit(s) cards with contacts - Part 5: Numbering system and registration procedure for application identifiers, June 1994.	M
ISO/IEC 7816-6	Integrated Circuit(s) cards with contacts - Part 6: Inter-industry Data Elements, May 1996.	M

Standards in JTA Version 4.0 not in Version 5.0

ISO/IEC 7816-8	Identification Cards - Integrated circuit(s) card with contacts - Part 8, Security architecture and related interindustry commands, November 1998.	E
ISO/IEC 7816-9	Identification Cards - Integrated circuit(s) card with contacts - Part 9: Enhanced interindustry commands, October 1999.	E
ISO/IEC 8632	Computer Graphics Metafile (CGM) for the Storage and Transfer of Picture Description Information, as profiled by MIL-STD-2301A, Computer Graphics Metafile (CGM) Implementation Standard for the National Imagery Transmission Format Standard, 5 June 1998.	M
ISO/IEC 8802-3	Carrier Sense Multiple Access with Collision Detection (CSMA/CD) Access Method and Physical Layer Specifications, 10BASE-T Medium-Access Unit (MAU).	M
ITU-R BT.601-4	Encoding Parameters of Digital Television for Studios, 1994.	M
ITU-T H.224	A Real Time Control Protocol for Simplex Applications using H.221 LSD/HSD/MLP channels, November 1994.	M
ITU-T H.310	Broadband Audiovisual Communication Systems and Terminals, November 1996.	E
ITU-T H.321	VTC over ATM, March 1996.	E
ITU-T H.324	Terminal for Low Bit Rate Multimedia Communications, February 1998.	M
ITU-T M.3400	TMN Management Functions, 1997.	M
ITU-T Rec. X.509	The Directory: Authentication Framework, Version 3, 1997. (ISO/IEC 9594-8.2).	M
ITU-T T.122	Multipoint Communications Service for Audiographic and Audiovisual Conferencing Service Definition, March 1993.	M
ITU-T T.123	Protocol Stacks for Audiographic and Audiovisual Teleconferencing Applications, November 1994.	M
ITU-T T.124	Generic Conference Control for Audiographic and Audiovisual Terminals and Multipoint Control Units, August 1995.	M
ITU-T T.125	Multipoint Communications Service Protocol Specification, April 1994.	M
ITU-T T.126	Multipoint Still Image and Annotation Conferencing Protocol Specification, August 1995.	M
ITU-T X.509	The Directory: Authentication Framework, June 1997, as profiled by RFC 2459.	E
IVI-4	IviScope Class, August 1998.	E
IVI-5	IviDmm - Digital Multimeter Class, August 1998.	E
IVI-6	IviFGen - Function Generator/Arbitrary Waveform Generator Class, August 1998.	E
IVI-7	IviPower - Power Supply Class, August 1998.	E
IVI-8	IviSwitch - Switch Matrix/Multiplexor Class, August 1998.	E
JREAP	Joint Range Extension Application Protocol (JREAP) for Encapsulation into Joint Technical Architecture (JTA) Compliant Protocols, Joint Range Extension Application Protocol Working Group, Version 1.0, 19 July 2000.	E
M021	CDE 2.1/Motif 2.1 User's Guide, ISBN 1-85912-173-X, October 1997.	M
M023	CDE 2.1 Programmer's Overview and Guide, Open Group Product Documentation, ISBN 1-85912-183-7, October 1997.	M
M024A	CDE 2.1 Programmer's Reference, Volume 1, Open Group Product Documentation, ISBN 1-85912-188-8, October 1997.	M

Standards in JTA Version 4.0 not in Version 5.0

M024B	CDE 2.1 Programmer's Reference, Volume 2, Open Group Product Documentation, ISBN 1-85912-193-4, October 1997.	M
M024C	CDE 2.1 Programmer's Reference, Volume 3, Open Group Product Documentation, ISBN 1-85912-174-8, October 1997.	M
M026	CDE 2.1 Application Developer's Guide, Open Group Product Documentation, ISBN 1-85912-198-5, October 1997.	M
M213	Motif 2.1 - Programmer's Guide, ISBN 1-85912-134-9, October 1997.	M
M214A	Motif 2.1 - Programmer's Reference, Volume 1, ISBN 1-85912-119-5, October 1997.	M
M214B	Motif 2.1 - Programmer's Reference, Volume 2, ISBN 1-85912-124-1, October 1997.	M
M214C	Motif 2.1 - Programmer's Reference, Volume 3, ISBN 1-85912-164-0, October 1997.	M
M216	Motif 2.1 - Widget Writer's Guide, Open Group Product Documentation, ISBN 1-85912-129-2, October 1997.	M
MIDS	Multi-functional Information Distribution System (MIDS) System Specification, 11 April 1995.	E
MIL-PRF-89045	DoD Performance Specification Geospatial Symbols for Digital Displays (GeoSym(tm)), 20 February 1998.	E
MIL-STD-188-110A	Data Modems, Interoperability and Performance Standards, 30 September 1991.	M
MIL-STD-188-136A(1)	EHF MDR Uplinks and Downlinks, 8 June 1998; with Notice of Change 1, 1 July 1999.	M
MIL-STD-188-164(1)	Interoperability and Performance Standards for C-Band, X-Band, and Ku-Band SHF Satellite Communications Earth Terminals, 13 January 1995; with Notice of Change 1, 9 September 1998.	M
MIL-STD-188-165(1)	Interoperability and Performance Standards for SHF Satellite Communications PSK Modems (Frequency Division Multiple Access (FDMA) Operations), 13 January 1995, with Notice of Change 1, 9 September 1998.	M
MIL-STD-188-220B	Interoperability Standard for Digital Message Transfer Device (DMTD) Subsystems, 20 January 1998.	M
MIL-STD-2045-47001B	Connectionless Data Transfer Application Layer Standard, 20 January 1998.	M
MIL-STD-2045-48501	Common Security Label, 1 September 1996.	M
MIL-STD-2407	Interface Standard for Vector Product Format (VPF), 28 June 1996.	M
MIL-STD-2411A	Raster Product Format, 6 October 1994; with Notice of Change, Notice 1, 17 January 1995.	M
MIL-STD-2500B	National Imagery Transmission Format (Version 2.1) for the National Imagery Transmission Format Standard, 22 August 1997 with Notice 1, 2 October 1998.	M
MIL-STD-6016A	Tactical Digital Information Link (TADIL) J Message Standard, 30 April 1999.	M
MIL-STD-6040:2001	United States Message Text Format (USMTF), 31 March 2001.	M
MISB 0001-720P	1280x720 Progressive High Definition Television Sample Structure, Analog and Digital Representation and Analog Interface, 27 July 2000.	E
MISP 9716	Packing KLV Packets into SMPTE 291M Ancillary Data Packets, 20 October 1999.	E

Standards in JTA Version 4.0 not in Version 5.0

MISP 9717	Packing KLV Packets into MPEG-2 Systems Streams, 20 October 1999.	E
NCPDP v3.2	NCPDP Telecommunications Standard, Version 3.2, 1995.	M
NITF ASDE	Airborne Support Data Extension (ASDE), Version 1.0, 13 January 1999; as documented in Section 8 of The Compendium of Controlled Extensions (CE) for the National Imagery Transmission Format (NITF) Version 2.0, 4 March 1999.	M
NITF Extensions	The Compendium of Controlled Extensions (CE) for the National Imagery Transmission Format (NITF), Version 1.0, 25 August 1998.	M
NITF HISTOA	HISTOA Extension, 25 August 1998; as documented in Section 15 of The Compendium of Controlled Extensions (CE) for the National Imagery Transmission Format (NITF) Version 2.0, 4 March 1999.	M
NITF ICHIPB	ICHIPB Support Data Extension for the National Imagery Transmission Format, Version 1.0, 16 November 1998; as documented in Section 5 of The Compendium of Controlled Extensions (CE) for the National Imagery Transmission Format (NITF) Version 2.0, 4 March 1999.	M
NITF PIAE	National Imagery Transmission Format Profile for Image Access Extensions (PIAE), Version 3.0, 25 September 1997; as documented in Section 6 of The Compendium of Controlled Extensions (CE) for the National Imagery Transmission Format (NITF) Version 2.0, 4 March 1999.	M
OMG document ec/99-03-01	Negotiation Facility Final Revision Submission, 1 March 1999.	E
OMG document formal/00-04-03	Meta Object Facility Specification, Version 1.3, 3 April 2000.	E
OMG document formal/00-05-22	Workflow Management Facility Specification, Version 1.2. 22 May 2000.	E
OMG document formal/00-06-25	Security Services Specification, Version 1.5, May 2000.	E
OMG document formal/00-06-35	Distributed Simulation Systems Specification, Version 1.0, April 2000.	E
OMG document orbos/97-09-06	COM/CORBA Part B, Interworking, 19 November 1997.	M
OMG document orbos/97-09-07	COM/CORBA Part A Revision, 19 November 1997.	M
OMG document orbos/98-05-04	Joint Firewall Revised Specification.	E
OMG document orbos/98-05-05	Revised Messaging RFP Submission.	E
OMG document orbos/98-06-01	CORBA services DCE/CORBA Interworking Service.	M
OMG document orbos/98-07-04	Summary of Firewall Errata.	E
OMG document orbos/98-08-04	Minimum CORBA Joint Revised Submission.	E
OMG document orbos/98-10-11	Interoperable Naming Service, October 1998.	E
OMG document orbos/99-02-12	Real-Time CORBA Joint Revised Submission.	E

Standards in JTA Version 4.0 not in Version 5.0

OMG document orbos/99-03-29	Errata for the Real-Time CORBA Joint Revised Submission.	E
OMG document orbos/99-07-07	Persistent State Service 2.0 Revised Submission.	E
OMG document orbos/99-12-02	Portable Interceptors, Joint Revised Submission.	E
OMG document ptc/99-10-03	CORBA Component Model.	E
OMG Fac for DSS	OMG Facility for Distributed Simulation Systems, Version 1.0, 10 November 1998.	M
OMG UML	Object Management Group (OMG) Unified Modeling Language (UML) Specification, Version 1.3, June 1999.	M
OMT DIF	Object Model Template Data Interchange Format (OMT DIF), Version 1.3, February 1998.	M
OpenGL Graphics System	OpenGL Graphics System: A Specification (Version 1.1), 25 June 1996.	M
P1003.13a	Standardized Application Environment Profile - POSIX Real-Time Application Support (AEP) - Amendment a: Real-Time Extension, September 1999.	E
P1003.1a	Portable Operating System Interface (POSIX) - Part 1: System Application Program Interface (API) [C Language] - Amendment, Draft 16, December 1998.	E
P1003.1h:1999	Services for Reliable, Available and Serviceable Systems, Draft 5, July 1999.	E
P1003.1m d2	Portable Operating System Interface (POSIX) - Part 1: System Application Program Interface (API) - Amendment m: Checkpoint/Restart Interface [C Language], Draft 2, November 1998.	E
P1003.5g	Portable Operating System Interface (POSIX) - Ada Language Interfaces - Part 1: Binding for System Application Program Interface (API) -Amendment g: Real-Time Extensions, September 1999.	E
PDF-417	Portable Document Format, as profiled by ANSI MH10.8.3M:1996, Material Handling Unit Loads and Transport Packages Two-Dimensional Symbols.	M
PR-rdf-schema-19990303	Resource Description Framework (RDF) Schema Specification, W3C Recommendation PR-rdf-schema-19990303.	E
R21-Tech-23-94	Key Exchange Algorithm (KEA), NSA, 12 July 1994.	M
RSA Labs PKCS #1	RSA Cryptography Standard, Version 2.0, 1 October 1998.	E
RSA Labs PKCS #11	Cryptographic Token Interface Standard, version 1.0, 28 April 1995.	E
RSA Labs PKCS #12	Personal Information Exchange Syntax Standard, version 1.0 (Draft), 30 April 1997.	E
RSA Labs PKCS #15	Cryptographic Token Information Format Standard, version 1.0, 23 April 1999.	E
RTCA DO-228	Minimum Operational Performance Standards for Global Navigation Satellite Systems (GNSS) Airborne Antenna Equipment, 20 October 1995.	P
SDN.301	Secure Data Network System (SDNS) Security Protocol 3 (SP3), Revision 1.5, 1989.	M
SMPTE 335M	Dynamic Metadata Dictionary Structure, 2000.	E
SMPTE 336M	Data Encoding Using Key-Length Value (KLV), 2000.	E
SMPTE Egxxx	Node Structure for the SMPTE Metadata Dictionary, 2000.	E

Standards in JTA Version 4.0 not in Version 5.0

SMPTE RP210.2	SMPTE Metadata Dictionary Contents, 2000.	E
SMPTE RP213	Format for Non-PCM Audio and Data in AES3 - KLV Data Type, 2000.	E
STANAG 4545	NATO Secondary Imagery Format (NSIF), 27 November 1998.	E
STANAG 5516	Tactical Data Exchange - LINK 16, Edition 1, Ratified 15 January 1997.	M
STANAG 5522	Tactical Data Exchange - LINK 22 (Undated), Edition 1.	E
TIA/EIA 41-D-97	Cellular Radio Telecommunications Intersystem Operations.	E
TIA/EIA 422B	Electrical Characteristics of Balanced Voltage Digital Interface Circuits, May 1994.	M
TIA/EIA 95-B	Mobile Station-Base Station Compatibility for Wideband Spread Spectrum Cellular Systems, 1999.	E
Traffic Filtering Firewall - Medium Robustness	U.S. DoD Traffic Filtering Firewall For Medium Robustness, Version 1.0, 26 January 2000.	E
TWG-98-07	Federal PKI X.509 Certificate and CRL Extensions Profile, 9 March 1998 , as profiled by DoD Certificate Profile, as defined in X.509 Certificate Policy for the United States Department of Defense, Version 1.5, 13 December 1999.	E
VMF-98	Variable Message Format (VMF), Technical Interface Design Plan (Test Edition) Reissue 3, 17 June 1998.	M
VPP-3.3	VXIplug&play Systems: Instrument Driver Interactive Developer Interface Specification Revision 3.0, 4 December 1998.	E
VPP-3.4	VXIplug&play Systems Alliance: Instrument Driver Programmatic Developer Interface Specification, Revision 2.2, 4 December 1998.	E
WD 18023	SEDRIS Functional Specification (including the SEDRIS Data Model, the Read and Write APIs, and the SEDRIS Transmittal Format), Version 1, 21 January 2000.	E
WD 18025	Environmental Data Coding Specification (EDCS), Version 1, 21 January 2000.	E
WD 18026	Spatial Reference Model (SRM), Version 1, 21 January 2000.	E
Windows i/f 1995	Windows Interface Guidelines for Software Design, Microsoft Press, 1995.	M
WSTAWG OE API	Weapon Systems Technical Architecture Working Group (WSTAWG) Operating Environment (OE) Application Programmer's Interface (API), Volume I, OE Application Interface, Version 1.0, 12 June 1998.	E
X12N 270	Health Care Eligibility/Benefit Inquiry, Version 004010X092.	E
X12N 271	Health Care Eligibility/Benefit Information Response, Version 004010X092.	E
X12N 276	Health Care Claim Status Request, Version 004010X093.	E
X12N 277	Health Care Claim Status Response, Version 004010X093.	E
X12N 278	Health Care Services Request for Review and Response, Version 004010X094.	E
X12N 820	Payroll Deducted and Other Group Premium Payment for Insurance Products, Version 004010X061.	E
X12N 834	Health Care Benefits and Enrollment and Maintenance, Version 004010X09, 5.	E
X12N 835	Health Care Claim Payment/Advice, Version 004010X091.	E
X12N 837 Dent	Health Care Claim: Dental, Version 004010X097.	E
X12N 837 Inst	Health Care Claim: Institutional, Version 004010X096.	E
X12N 837 Prof	Health Care Claim: Professional, Version 004010X098.	E

Standards in JTA Version 4.0 not in Version 5.0

XForms Model	XForms Data Model, W3C Working Draft, 06 April 2000.	E
XForms Reqts	XForms Requirements, W3C Working Draft, 29 March 2000.	E
XHTML 1.0	Extensible HyperText Markup Language: A Reformulation of HTML 4.0 in XML 1.0, W3C Recommendation, 26 January 2000.	E
XSL 1.0	Extensible Stylesheet Language: Version 1.0, W3C Working Draft, 27 March 2000.	E
XSLT 1.1	XSL Transformations: Version 1.1: W3C Recommendations, 16 November 1999.	E